

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15831	(two or three or second or third or four or fourth) with (slot or reader or sensor) with (IC or card or smartcard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 08:24
L2	8847	L1 and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 08:48
L3	31539	(IC or smartcard or card) with (access\$4 or utilizat\$4 or use or using) with (control\$4 or manag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 08:27
L4	1128	L2 and L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 08:28
L5	470	L4 and @ad>"19970101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 09:50
L6	2	("4709136").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 08:47
L7	91	"4709136"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 08:48
L8	79	L7 and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 08:58
L9	8	L8 and L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 08:57

EAST Search History

L10	23	"5774546"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 08:57
L11	15	L10 and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 08:58
L12	79	726/9.ccls. and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 09:53
S1	8	((("5434562") or ("6193163") or ("6212635") or ("6389542"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 08:23
S2	84	"5434562" "6193163" "6212635" "6389542"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 11:44
S3	84	(S1 or S2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 11:44
S4	228952	(plural\$4 or many\$5 or multipl\$5 or several or "more than") with (receptacl\$4 or reader or sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 11:46
S5	10655	config\$5 with (select\$5 or known or locat\$4 or position) with (receptacl\$4 or reader or sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 11:51
S6	3	S3 and S4 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 11:49
S7	5654	S4 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 11:49

EAST Search History

S8	1106	(computer with security) and (peripheral with access\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 11:50
S9	5	S7 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 11:50
S10	47	S5 and smartcard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 12:28
S11	39	((multiple or plural\$4 or many) with (reader or receptacle or sensor)).ab. and computer.ab. and network.ab. and access\$4.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 12:30
S12	4	("6021497").URPN.	USPAT	OR	ON	2005/07/23 12:34
S13	1	("6578089").URPN.	USPAT	OR	ON	2005/07/23 13:27
S14	2	"6718319"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 13:28
S15	11	"6021497"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 13:28
S16	12	((("5434562") or ("6193163") or ("6212635") or ("6389542") or ("6021497") or ("6718319"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/23 13:45
S17	8	((("5434562") or ("6193163") or ("6212635") or ("6389542"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 10:01
S18	12	((("6021497") or ("6212635") or ("6718319") or ("5434562") or ("6389542") or ("6193163"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 11:26

EAST Search History

S19	111	"6021497" "6212635" "6718319" "5434562" "6389542" "6193163"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:26
S20	63	S19 and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 06:22
S21	79	726/9.ccls. and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 12:43
S22	9897	((card or smartcard or badge or token or IC) with (access\$5 or utiliz\$5 or use or using) with (control\$5 or manag\$6 or configur\$5 or scheme)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:37
S23	15978	policy and configuration and (receptacle or slot or port or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 12:54
S24	34	S22 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 12:55
S25	10	S24 and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 12:55
S26	4	S23 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 12:52
S27	16932	policy and configuration and (receptacle or slot or port or module or reader or sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 12:54
S28	5128	policy and configuration and (reader or sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 12:54

EAST Search History

S29	15	S22 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 12:55
S30	6	S29 and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:20
S31	16	"6351813"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:20
S32	11	S31 and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:20
S33	0	S32 and ((level\$4 or rank\$3 or link\$4 or status or order or grad\$4 or degree) with (access\$4 or use or using or utiliz\$4 or entry or enter\$4) with (port or slot or reader or sensor) with (card or smartcard or badge or IC))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:35
S34	11	S32 and ((level\$4 or rank\$3 or link\$4 or status or order or grad\$4 or degree) or (access\$4 or use or using or utiliz\$4 or entry or enter\$4) or (port or slot or reader or sensor) or (card or smartcard or badge or IC))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:26
S35	1	("6747564").URPN.	USPAT	OR	ON	2006/02/15 14:33
S36	2652	((level\$4 or rank\$3 or link\$4 or status or order or grad\$4 or degree) with (access\$4 or use or using or utiliz\$4 or entry or enter\$4) with (port or slot or reader or sensor) with (card or smartcard or badge or IC))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:36
S37	1301	S36 and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:36

EAST Search History

S38	413618	(card or smartcard or badge or token or IC).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:37
S39	832	S37 and S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:37
S40	112249	(access\$ with (control\$4 or manage\$5)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:38
S41	75	S39 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:38
S42	2831511	reader or receptacle or port or sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 06:17
S43	907484	card or smartcard or badge or IC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 06:17
S44	6053925	configur\$4 or setting or policy or rule or law or set or establish\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 06:20
S45	3642288	level\$4 or rank\$4 or grad\$4 or role or task\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 06:21
S46	368	S42 with S43 with S44 with S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 06:21
S47	213	S46 and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 07:09

EAST Search History

S48	152	S47 and @ad>"19900101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 06:38
S49	11	("6353885").URPN.	USPAT	OR	ON	2006/02/16 06:32
S50	5	S49 and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 06:35
S51	3	S42 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 06:35
S52	4	"6654797"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 06:35
S53	2	S52 and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 06:38
S54	2	S42 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 06:38
S55	11	"6389542"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 06:38
S56	5	S55 and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 06:38
S57	3	S42 and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 06:38

EAST Search History

S58	907484	card or smartcard or badge or IC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 06:48
S59	9032312	access\$4 or utiliz\$5 or use or using or entry or enter\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 06:45
S60	10566438	control\$4 or manager or management or configur\$5 or set or setting or policy or rule or law	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 06:46
S61	48566	S58 with S59 with S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 06:47
S62	10006132	reader or receptacle or port or sensor or module or device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 06:47
S63	11796	S61.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 06:48
S64	3707298	level\$4 or grad\$4 or rank\$4 or role or task\$4 or job	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 06:50
S65	11577436	determin\$4 or set or setting config\$5 or establish\$5 or process\$5 or depend\$6 or link\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 06:50
S66	200664	S62 with S64 with S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 06:55
S67	215	S66 and S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 06:55

EAST Search History

S68	131	S67 and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 07:00
S69	318537	S62 near4 S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 06:57
S70	80	S68 and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 07:00
S71	39	"5526428"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 07:00
S72	26	S71 and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 07:04
S73	6	"5878134" and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 07:02
S74	18	"5666412" and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 07:05
S75	10	"6424947"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 07:05
S76	6	S75 and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:41
S77	9	"5987612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 07:08

EAST Search History

S78	6	S76 and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 07:08
S79	4	((("6738772") or ("6877655"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 11:40
S80	4	"6738772" "6877655"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:36
S81	49	((("3890461") or ("4766542") or ("4868376") or ("5002062") or ("5049728") or ("5353016") or ("5583539") or ("5601489") or ("5767896") or ("5835864") or ("5880769") or ("5883370") or ("5886691") or ("5907350") or ("5911031") or ("5949492") or ("5973475") or ("5990890") or ("6014593") or ("6032085") or ("6035037") or ("6039251") or ("6229694") or ("6330021") or ("6424947"))).PN. or ((2001/0003041) or (2001/0017616)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 11:38
S82	639	"3890461" "4766542" "4868376" "5002062" "5049728" "5353016" "5583539" "5601489" "5767896" "5835864" "5880769" "5883370" "5886691" "5907350" "5911031" "5949492" "5973475" "5990890" "6014593" "6032085" "6035037" "6039251" "6229694" "6330021" "6424947" 2001/0003041 2001/0017616	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:39
S83	726	"4216375" "4218690" "4581634" "4714995" "4721954" "4816658" "4839640" "4998279" "5097505" "5210873" "5475378" "5544062" RE35336 "5566327" "5614890" "5629981" "5654696" "5680328" "5682142" "5923264" "5966715" "6212520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:40

EAST Search History

S84	726	"4216375" "4218690" "4581634" "4714995" "4721954" "4816658" "4839640" "4998279" "5097505" "5210873" "5475378" "5544062" RE35336 "5566327" "5614890" "5629981" "5654696" "5680328" "5682142" "5923264" "5966715" "6212520"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:40
S85	47	((("4216375") or ("4218690") or ("4581634") or ("4714995") or ("4721954") or ("4816658") or ("4839640") or ("4998279") or ("5097505") or ("5210873") or ("5475378") or ("5544062") or ("RE35336") or ("5566327") or ("5614890") or ("5629981") or ("5654696") or ("5680328") or ("5682142") or ("5923264") or ("5966715") or ("6212520"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 11:40
S86	1356	S81 or S82 or S83 or S84 or S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:40
S87	963	S86 and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:41
S88	608	S87 and (smartcard or card or IC or badge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:41
S89	209133	access\$5 near3 (control\$4 or management or manager)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:42
S90	261	S88 and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:42
S91	202	S90 and (reader or sensor or receptacle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 12:00

EAST Search History

S92	1644	(smartcard or card or badge or IC) near4 (reader or receptacle or sensor or ((device or module or node) near4 (read\$4 or sens\$4 or input\$4 or gather\$4))) near4 (config\$4 or rank\$4 or level or job or task\$4 or grad\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 12:04
S93	662	S92 and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 12:04
S94	290	S93 and @ad>"19970101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 12:05
S95	0	(card or smartcard or IC) near4 reader near4 associat\$4 near4 policy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 07:08
S96	11	(card or smartcard or IC) near4 reader near4 associat\$4 near4 (level\$4 or rank\$4 or grad\$4 or task\$4 or job or low\$4 or high\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 07:16
S97	10	S96 and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 07:16
S98	199	(card or smartcard or IC) with reader with associat\$4 with (level\$4 or rank\$4 or grad\$4 or task\$4 or job or low\$4 or high\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 07:21
S99	55	S98 and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 07:16
S100	99	reader with associat\$4 with (level\$4 or rank\$4 or grad\$4 or task\$4 or job or low\$4 or high\$4) with (access\$4 or security or secur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 07:22

EAST Search History

S10 1	55468	(card or smartcard or IC) with reader	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 07:22
S10 2	71	S100 and S101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 07:22
S10 3	20	S102 and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 07:30
S10 4	9454	(multiple or many or various or several) with (read\$4 or sens\$4 or slot or port) with (IC or card or smartcard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 07:37
S10 5	4928	(multiple or many or various or several or level\$4 or rank\$4) with (read\$4 or sens\$4 or slot) with (access\$4 or utiliz\$4 or use or using) with apparatus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 07:37
S10 6	72	S104 and S105	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 07:38
S10 7	48	S106 and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 07:49
S10 8	133874	(reader or seson or slot or port) near4 (ID or identif\$5 or ident\$6 or number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 07:48
S10 9	4461	access\$4 with (IC or card or smartcard) with (reader or slot or port or sensor) with (apparatus or computer or device or machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 07:48
S11 0	1190	S108 and S109	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 07:48

EAST Search History

S11 1	21321	(reader or seson or slot or port) near4 (ID or identif\$5 or ident\$6 or number) with (level\$4 or rank\$5 or grad\$4 or high\$4 or low\$4 or second or third or fourth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 07:49
S11 2	213	S110 and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 07:49
S11 3	71	S112 and @ad<"20000817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 07:49